

REFERENCES

1. Aelst, L.V. & D'Souza-Schorey, C. Rho GTPases and signaling networks. *Genes & Dev.* **11**, 2295-2322 (1997).
- 5 2. Bairoch, A., Bucher, P. & Hofmann, K. The PROSITE database, its status in 1997. *Nucleic Acids Res* **25**, 217-21 (1997).
3. Bienvenu, T., *et al.* Mapping of the X-breakpoint involved in a balanced X;12 translocation in a female with mild mental retardation. *Eur. J. of Hum Genet* **5**, 105-109 (1997).
- 10 4. Boguski, M.S. & McCormick, F. Proteins regulating Ras and its relatives. *Nature* **366**, 643-54 (1993).
5. Capecchi *et al.*, *Science* **244**, 1288-1292 (1989).
6. Corpet, F. Multiple sequence alignment with hierarchical clustering. *Nucleic Acids Res* **16**, 10881-90 (1988).
- 15 7. Davies, H.R., *et al.* Androgen insensitivity with mental retardation: a contiguous gene syndrome ? *J Med Genet* **34**, 158-60 (1997).
8. Fernandez, E., *et al.* Use of chemical clamps in denaturing gradient gel electrophoresis: application in the detection of the most frequent Mediterranean beta-thalassemic mutations. *PCR Methods Appl* **3**, 122-4 (1993).
- 20 9. Gecz, J., *et al.* Cloning and expression of the murine homologue of a putative human X-linked nuclear protein gene closely linked to PGK1 in Xq13.3. *Hum Mol Genet* **3**, 39-44 (1994).
10. Gedeon, A.K., Donnelly, A.J., Mulley, J.C., Kerr, B. & Turner, G. How many X-linked genes for non-specific mental retardation (MRX) are there? [letter]. *Am J Med Genet* **64**, 158-62 (1996).
- 25 11. Gecz J. *et al.*, Identification of the gene FMR2, associated with FRAXE mental retardation. *Nature Genet* **13**, 105-108 (1996).
12. Gibbons RJ *et al.*, Syndrome mental retardation due to mutations in a regulator of gene expression. *Hum Mol Genet* **4**, 1705-1709 (1995).
- 30

058143.1100
PCT/EP98/08557

13. Herbst, D.S. & Miller, J.R. Nonspecific X-linked mental retardation II: the frequency in British Columbia. *Am J Med Genet* **7**, 461-9 (1980).
14. Hildebrand, J.D., Taylor, J.M. & Parsons, J.T. An SH3 domain-containing GTPase-activating protein for Rho and Cdc42 associates with focal adhesion kinase. *Mol Cell Biol* **16**, 3169-78 (1996).
15. Hogan et al., Cold Spring Harbor, NY *Manipulating the mouse embryo ; a laboratory manual* (1987).
16. Kel, A.E., et al. SITEVIDEO: a computer system for functional site analysis and recognition. Investigation of the human splice sites. *Comput Appl Biosci* **9**, 617-27 (1993).
17. Knight SJI et al., Trinucleotide repeat amplification and hypermethylation of CpG islands in FRAXE mental retardation. *Cell* **74**, 127-134 (1993).
18. Kozak, M. Point mutations define a sequence flanking the AUG initiator codon that modulates translation by eukaryotic ribosomes. *Cell* **44**, 283-92 (1986).
19. Kyte, J. & Doolittle, R.F. A simple method for displaying the hydropathic character of a protein. *J Mol Biol* **157**, 105-32 (1982).
20. Lamarche, N. & Hall, A. GAPs for rho-related GTPases. *Trends Genet* **10**, 436-40 (1994).
21. Lerman, L.S. & Silverstein, K. Computational simulation of DNA melting and its application to denaturing gradient gel electrophoresis. *Methods Enzymol* **155**, 482-501 (1987).
22. Lubs, H.A., et al. XLMR genes: update 1996. *Am J Med Genet* **64**, 147-57 (1996).
23. Luo, L., Liao, Y.J., Jan, L.Y. & Jan, Y.N. Distinct morphogenetic functions of similar small GTPases: Drosophila Drac1 is involved in axonal outgrowth and myoblast fusion. *Genes Dev* **8**, 1787-802 (1994).
24. Luo, L., et al. Differential effects of the Rac GTPase on Purkinje cell axons and dendritic trunks and spines. *Nature* **379**, 837-40 (1996).
25. Mermod, N., O'Neill, E.A., Kelly, T.J. & Tjian, R. The proline-rich transcriptional activator of CTF/NF-I is distinct from the replication and DNA binding domain. *Cell* **58**, 741-53 (1989).

26. Morrissey, J., *et al.* A serine/proline-rich protein is fused to HRX in t(4; 11) acute leukemias. *Blood* **81**, 1124-31 (1993).
27. Nobes, C.D. & Hall, A. Rho, rac, and cdc42 GTPases regulate the assembly of multimolecular focal complexes associated with actin stress fibers, lamellipodia, and filopodia. *Cell* **81**, 53-62 (1995).
28. Nizetic, D., *et al.* Construction, arraying, and high-density screening of large insert libraries of human chromosomes X and 21: their potential use as reference libraries. *Proc Natl Acad Sci U S A* **88**, 3233-7 (1991).
29. Palmiter *et al.*, *Ann Rev Genet* **20**, 465-499 (1986).
30. Sambrook, J., Fritsch, E.F. & Maniatis, T. *Molecular cloning: A laboratory manual*, Cold Spring Harbor Laboratory Press (1989).
31. Solovyev, V.V., Salamov, A.A. & Lawrence, C.B. Predicting internal exons by oligonucleotide composition and discriminant analysis of spliceable open reading frames. *Nucleic Acids Res* **22**, 5156-63 (1994).
32. The European XLMR Consortium. X-linked non specific mental retardation (MRX): linkage studies in 25 unrelated families. *8th International Workshop on the Fragile X and X-Linked Mental Retardation. Picton, Ontario, Canada, 17-22 August 1997.* (1997).
33. Verkerk AJM *et al.*, Identification of a gene (FMR-1) containing a CGG repeat coincident with a breakpoint cluster region exhibiting length variation in fragile X syndrome. *Cell* **74**:905-914 (1991).
34. Vits L. *et al.*, MASA syndrome is due to mutations in the neural cell adhesion gene LICAM. *Nature Genet* **7**, 408-413 (1994).
35. Zipkin, I.D., Kindt, R.M. & Kenyon, C.J. Role of a new rho family member in cell migration and axon guidance in *C.elegans*. *Cell* **90**, 883-894 (1997).